

### Industrial Panel PC Basic Series IPC-515

Artech Panel PCs; are touch panel computers that are integrated into production environments and provide high performance in heavy industrial environment conditions.

As Çizgi Teknoloji, we provide solutions with our Artech™ Industrial Computer Product Group to increase production efficiency and reduce cost and energy use in many leading industrial sectors such as automotive, white appliances, textile, food and medicine.



### Features;

- ✓ Wide Range of Products Solutions for All Kinds of Application and Environmental Conditions
- ✓ 3 Years Standard and 5 Years Spare Parts Supply Warranty
- ✓ 10" / 15" / 17" / 21" TFT Screen Model Options
- ✓ 4:3 ve 16:9 Screen Ratio Options
- ✓ Wide Viewing Angle and Different Touch Screen Technologies
- ✓ Industrial Grade SSD Suitable for 0-70cdeg Operating Temperature
- ✓ Industrial Grade RAM Suitable for 0-80cdeg Operating Temperature
- ✓ IP65 Front Panel Protection
- ✓ Windows and Android Solutions
- ✓ Celeron / Pentium / iCore Level Solutions
- ✓ WiFi Solutions (B/G/N/AC Supported 5Ghz Technology)
- ✓ Suitable for Vesa and Panel Mounting

### Areas of Usage



Industry



Automotive



White Appliances



Textile



Defense Industry



Food Industry



Construction Materials Industry



[www.cizgi.net](http://www.cizgi.net)



[www.artech-ipc.com.tr](http://www.artech-ipc.com.tr)



[cizgi-teknoloji](https://www.linkedin.com/company/cizgi-teknoloji)



ÇİZGİ TEKNOLOJİ

### Industrial Panel PC Basic Series IPC-515



Celeron Processor



15" Display Option



0-50°C deg Working  
Performance



Price / Performance  
Product



Resistive Touch  
Technology



## Industrial Panel PC Basic Series IPC-515

### ORDER CODE

Cpu	: j1900
Feed	: 12VDC
Ram	: 4GB/8GB
HDD	: 64 GB/128GB/256 GB SSD
Wi-Fi	: Optional



### SYSTEM

Cpu	: Intel® Celeron j1900
Cache	: 2MB
Memory	: DDR3 SoDIMM 4GB/8GB
Video Ram	: Max 128 MB Shared Memory
Chipset	: N.A.
Watchdog Timer	: 255 Level Reset

### INPUT/OUTPUT

Serial Port	: 2 x RS-232 Ports
Parallel Port	: Optional
Usb Port	: 4 x USB 2.0 Compatible
LAN	: 1 X LAN Realtek Gigabit Ethernet
Wireless LAN	: Optional
Sound	: Line in & out (AC'97 Codec Audio)
Expansion Slot	: MiniPCIe

### DATA STORAGE

HDD Type	: Vibration Resistant Slot
HDD Storage	: 64 GB/128GB/256 GB SSD

### FEED

Input	: 12VDC
Adapter	: Adapter Included

### LCD SCREEN

Size/Type	: 15" LVDS 4:3
Max Resolution	: 1024 x 768, XGA
Pixel Pitch	: 0.297mm x 0.297mm
Max Color	: 16.7 M
Brightness	: 350cd
Contrast Ratio	: 1000/1
Viewing Angle	: 160°(H),160°(V)
Back Light MTBF	: 50,000 hours
Touch Screen	: 15" Touch - Resistive




### VIDEO OUTPUT

Type	: HDMI/VGA
Max Resolution	: 1920x1080

### ENVIRONMENTAL FEATURES

Working Temp	: 0 ~ 60°C
Storage Humidity	: 5 ~ 95% (Non-Condensing)
Case	: Heavy-Duty Metal Case
Front Frame	: Powder Coated Metal Frame
Weight	: Variable According to Screen Size
Dimensions	: Variable According to Screen Size
Mounting	: Wall, Panel and Vesa





Tel: +90 216 365 82 50  
Faks: +90 216 365 82 30



info@cizgi.net  
www.cizgi.net



Merve Mah. Necip Fazıl Cad. No:8 34791  
Sancaktepe – İstanbul